

C-6 Corvette Sway Bar Installation P/N 2284 w/ Adjustable Rear Bar

<u>Please look at the installation of the factory sway bar package before you install your new Hotchkis 2284 Sport Sway Bar Set.</u>

Tools Needed for Installation:

T-40 Torx Driver, 5mm (or 3/16") allen wrench, 13-19mm sockets, ratchet wrench, 16-19mm combination wrench, Lock-Tite and Anti-Seize compound.


This kit is intended for Corvettes with OEM metal end links. If your car is equipped with composite end links, please replace them with the C5/C6 OEM metal end links.

Front Bar Installation:

Make sure you use proper safety devices such as jacks stands and/or jacks to avoid possible injury.

- 1. Using a 18mm combo wrench and a T-40 torx driver & ratchet, remove the lower end link nut. Use a spray lubricant to help in removal
- 2. Remove the four bolts holding the front sway bar to the frame. Use a 15mm socket ratchet and extension.







 Once you disconnect everything pop the lower end link stud out of the holes, slide the bar sideways and twist it out of the vehicle.



▶ Do not grease these Bushings. They are designed to be used with out lubrication, they are dry lube impregnated. ◀

- 4. Place the bushing on the new Hotchkis Bar. Please look at the factory bar and install in the same manner.
- 5. Get the four bolts that hold the bar to the frame and apply anti-seize compound to the threads.





- 6. Using the original frame brackets, place the new bar in the vehicle. *MAKE SURE YOU START THE BOLTS BY HAND*. It's really easy to strip the threads in the aluminum frame. Thread the bolts 3 to 4 threads, this allows you to rotate the bar in the bushing easily.
- 7. Reinstall the OEM metal end links in the manner as removal. Fully tighten end link hardware with blue thread locker (loctite).



7. Tighten the frame mounts using a 15mm socket, wrench and extension. Torque to 35-40 ft-lbs.






Rear Bar Installation

- 1. Using a 18mm combination wrench and a T-40 torx driver & ratchet, remove the lower end link nut. Use a spray lubricant to help the removal.
- 2. Remove the two upper 18mm bolts that hold the sway bar to the frame.





- 3. Using a 15mm ratchet and a 18mm wrench, take off the lower nut that remains on the lower sway bar frame mount. DO NOT remove the bolt; it holds the lower A-Arm in the car.
- 4. Push out the lower end link studs and remove the bar from vehicle.








▶ Do not grease these Bushings. They are designed to be used with out lubrication, they are dry lube impregnated. ◀

5. Place the new bushings on the new Hotchkis Bar. Please look at the factory bar and install in the same manner.



- 6. Apply anti-seize compound to the two frame mount bolts.
- 7. Install the bar in the vehicle using the original brackets, start the frame mount bolts and nuts, remember, 3-4 threads.
- 8. Reinstall the OEM metal end links in the manner as removal. Fully tighten end link hardware with blue thread locker (loctite).
- 9. Tighten the upper frame mount with a 18mm socket and torque 35-40 ft-lbs.
- 10. Tighten the lower a-arm bolts with a18mm wrench and 15mm socket and torque 60-65 ft-lbs.




11. Double check that you tightened everything.

12. Re-check the fasteners at about 100 miles to ensure optimal performance of your new sway bar set.

ADJUSTING YOUR REAR STABILIZER BAR

You have received one of the new Hotchkis adjustable rear sway bar packages for your C-5 Corvette. The hole out on the end of the bar is the lightest setting of the bar, and the one furthest from the end is the stiffest. Hotchkis suggests starting by using the center hole. Once you get used to the new setup, you can tune the balance of the car to your liking.





All information contained herein is subject to change without notice. BUYER'S ACCEPTANCE OF DELIVERY OF THE PRODUCT CONSTITUTES BUYER'S ACCEPTANCE OF THE TERMS HEREIN. ANY ADDITIONAL OR DIFFERENT TERMS PROPSOED BY THE BUYER ARE HEREBY REJECTED IN THEIR ENTIRETY UNLESS EXPRESSLY AGREED TO IN WRITING BY SELLER'S AUTHORIZED AGENT.

TERMS

Prepaid, Visa, MasterCard. Net 30 days from invoice date terms are available after credit approval. Accounts with invoices past due will be placed on "Credit Hold". A finance charge of 1.5% per month will also be applied to all past due invoices, not to exceed the maximum charge permitted by law. Accounts are considered paid in full upon Hotchkis Performance Inc.'s receipt of the full invoice amount plus collection fees and expenses incurred, if any. NSF checks stop payment checks, chargebacks on credit cards, etc. are charged a minimum of \$35 fee. No deduction or credit may be taken for any reason unless a credit memo has been issued by Hotchkis Performance Inc. Any unauthorized deduction will automatically put the account on credit hold. Other product special orders require a 50% down payment and are also non-cancelable and non-returnable.

DROP SHIPMENTS & REFUSED PACKAGES

Drop shipments are charged a \$30 service charge. A 20% restocking fee and all shipping costs are charged to the ordering party if a package is refused. No international drop shipments.

RETURNS

All returns are subject to prior authorization from Hotchkis Performance Inc. Once authorized, a Return Merchandise Authorization (R.M.A) will be issued. All authorized returns must have the R.M.A number on all cartons and shipping documents. Returned product must be shipped prepaid – collect shipments will be refused. Modified or used products are not eligible for return. Returns MUST be made within 90 days of invoice date and are subject to a 20% restocking fee. No returns are accepted after 90 days. Freight charges are not refundable unless the merchandise is defective as determined by Hotchkis Performance Inc. Special orders are not returnable.

DAMAGED SHIPMENTS / SHORTAGES

All Hotchkis Performance Inc.'s shipments are F.O.B. our factory. Title passes from Hotchkis Performance Inc. to the purchaser at the time is shipment initiated. Claims for Carton shortages and damages must be made against the carrier at the time of delivery. To expedite processing of claims against the carrier, the customer must note damages on the bill of lading at the time of the delivery, and promptly request an inspection by the carrier or its claims agent. If a shortage is found within the shipment, it must be reported to Hotchkis Performance Inc. in writing within five (5) business days of receipt of shipment. Claims need to include the following information order number, invoice number, date of invoice, date of shipment, part number, description and carton count.

PRODUCT SUBSTITUTION / OTHER

Hotchkis Performance Inc. reserves the right to substitute equal or better materials or products at its discretion. Hotchkis Performance Inc. reserves the right to change specifications and other information included in this catalog without notice. All information, data and dimension tables in this catalog have been carefully compiled and thoroughly checked. However, no responsibility for errors or omissions can be assumed. Some parts may not be legal for sale or use in certain states, including California, on certain pollution-controlled motor vehicles. It is the purchaser's responsibility to determine if any parts they purchase are suitable for their particular locale and use.

WARRANTY / DISCLAIMER

Hotchkis Performance Inc. warrants that the products will be free from defect in material and workmanship for three years from date of sale to the original purchaser. Hotchkis Performance Inc. makes no other warranty of any kind, express or implied. Hotchkis Performance Inc. shall have no obligation under the forgoing warranty where the defect is the result of improper or abnormal use, user's negligence, vehicle accident, improper or incorrect installation or maintenance, nor when the product has been repaired or altered in any way. Hotchkis Performance Inc.'s liability in the case of defective products subject to the forgoing warranty shall be limited solely to the repair or replacement, at Hotchkis Performance Inc.'s option, of the defective products. Hotchkis Performance Inc. will be the sole judge of the validity of warranty claims.

Consequential or incidental damages are not recoverable under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

In order to be eligible for service under this warranty, the defective part(s) must be returned to Hotchkis Performance Inc. by the original purchaser together with the R.M.A number issued from Hotchkis Performance Inc. and a copy of the receipt showing purchase within past 3 years. Tag each item with the part number and the specific explanation of defect. We will inspect the part and determine: a) if it is eligible for repair or replacement; and, b) if so, whether to repair or replace it. All returns must be shipped **prepaid** to:

Hotchkis Performance Inc. will return all products covered under warranty to you by ground freight at Hotchkis Performance Inc.'s expense. Any expedited freight is the responsibility of the customer.

THE BUYER UNDERSTANDS AND EXPRESSLY RECOGNIZES that ALL parts and services sold by Hotchkis Performance Inc. are exposed to many and varied conditions due to the manner in which they are installed and used. BUYER ACKNOWLDEGES that HOTCHKIS PERFORMANCE INC. does not have full knowledge of the intended use of goods, and BUYER WILL DEFEND AND INDEMNIFY HOTCHKIS PERFORMANCE INC. upon demand against all claims, actions, liability, loss and expense (including investigating expense and attorney fees incurred in litigation or because of threatened litigation) for any loss, damage or injury, either to a person or to property, resulting from the direct or indirect use of any Hotchkis Performance Inc. products or inability by the buyer to determine proper use or application of Hotchkis Performance Inc. Broducts. With the exception of the limited liability warranty set forth above. Hotchkis Performance Inc. SHALL NOT BE LIABLE FOR ANY CLAIMS, DEMANDS, INJURIES, DAMAGES, ACTIONS, OR CAUSES OF ACTION WHATSOEVER TO BUYER ARISING OUT OF OR CONNECTED WITH THE USE OF ANY HOTCHKIS PERFORMANCE INC. PRODUCTS MOTORSPORTS AND SIMILAR ACTIVITES ARE DANGEROUS; AS SUCH, NO WARRNTY OR REPRESENATION IS MADE AS TO THE PRODUCT'S ABILTY TO PROTECT THE USER FROM INJURY OR DEATH. THE USER ASSUMES THAT RISK